

Cable Kit

09

Complete range of signage systems through steel cables and tensors which provide an complete solution for the exhibition at selling point areas.


- 412** OMEGA SYSTEM
- 414** DELTA SYSTEM
- 416** GAMMA SYSTEM
- 418** EPSILON SYSTEM
- 420** FREE STANDING
- 421** ACRYLIC POCKET
- 422** LIGHT BOX






OMEGA FIXING KIT

DETAIL	KIT INCLUDES	INFORMATION
		Fixing kit contains: 3m length wire cable + 1 top fixing unit + 1 bottom fixing unit. The Omega Kit is ideal for storefronts, travel agencies or for banks.
FIXING KIT		
12.547	x2 	




OMEGA CHANNEL KIT

DETAIL	KIT INCLUDES	INFORMATION
		Channel kit contains: 3m length wire cable + 1 top channel unit + 1 bottom channel unit. Omega Kit is ideal for storefronts, travel agencies or for banks.
CHANNEL KIT		
12.546	x2 	




OMEGA TOP FIXING

DETAIL	SIZE	*mm	INFORMATION
			This metallic unit is suitable for a top fixation with the ceiling. It features a satin silver finish.
TOP FIXING	SIZE		
12.544	Ø14x24mm	x10 	




OMEGA TOP CHANNEL

DETAIL	SIZE	*mm	INFORMATION
			This metallic unit is suitable for a top fixation with channel connector. It features a satin silver finish.
TOP CHANNEL	SIZE		
12.542	Ø14x26mm	x10 	

OMEGA BOTTOM FIXING

DETAIL	SIZE	*mm	INFORMATION
			Metallic unit for a bottom fixation with the floor. With a satin silver finish.
BOT. FIXING	SIZE		
12.545	Ø14x57mm	x10 	

OMEGA BOTTOM CHANNEL




DETAIL	SIZE	*mm	INFORMATION
			Metallic unit for being used with channel connector. With a satin silver finish.
BOT. CHANNEL	SIZE		
12.543	Ø14x59mm	x10 	

OMEGA SYSTEM






* Acrylic Pockets at this page are available but not included

OMEGA SINGLE POCKET CLIP

DETAIL	SIZE	*mm	INFORMATION
			This metallic single pocket clip is suitable for wires up to Ø1.5mm - Ø3mm. With silver finish.
SINGLE CLIP	SIZE		
12.540	Ø16x27mm	x10 	



OMEGA DOUBLE POCKET CLIP

DETAIL	SIZE	*mm	INFORMATION
			Double metallic single panel clip for wires up to Ø1.5mm - Ø3mm. With silver finish.
DOUBLE CLIP	SIZE		
12.541	Ø16x39mm	x10 	

ALUMINIUM TRACK

DETAIL	INFORMATION
	This track aluminium features 2 lengths available (2m or 3m).
TRACK	LENGTH
12.127	2000mm
12.128	3000mm

TRACK ENDCAP

DETAIL	SIZE	*mm	INFORMATION
			Connect this endcap to the aluminium track. Made of gray plastic.
ENCAP	SIZE		
12.428	31x25mm	x10 	

WIRE CABLE

DETAILS






INFORMATION

Roll of wire cable suitable for Cablekit systems, with a length of 25m. 2 diameters available: Ø1.5mm and Ø3mm.

WIRE CABLE	LENGTH	Ø WIRE
12.315	25m	1.5mm
12.311	25m	3mm




OMEGA LOAD

DETAIL	SIZE	*mm	INFORMATION
			This Ø40 Aluminium load for wires is 500g weight. 170mm height.
LOAD	SIZE	WEIGHT	
12.117	Ø 40x170mm	500g	









OMEGA SYSTEM



ACRYLIC POCKET

	*mm
	
	

This transparent 2mm acrylic Pocket folder features 2 formats with 2 orientations.


POCKET	STANDARD FORMATS
12.125	A4 Horizontal x10  
12.351	A3 Horizontal x10  
12.126	A4 Vertical x10  
12.352	A3 Vertical x10  

DELTA TOP/WALL FIXING

FIXING DETAIL

INFORMATION

*mm



This movable and stylish Top Support is suitable for ceiling or wall. It includes adjust for tension. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. Ideal for storefronts, travel agencies or banks.

WALL FIXING

BASE SIZE

12.316

Ø45x27mm

x4




DELTA TOP/BOTTOM FIXING

FIXING DETAIL

INFORMATION

*mm



Elegant and fixed support for ceiling or floor. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. Ideal for real states, storefronts, travel agencies or banks.

BOTTOM FIXING

SIZE

12.317

Ø45x40mm

x4




CHROMED POCKET CLIP

CLIP DETAIL

SIZE

*mm

INFORMATION



This chromed pocket fixing Clip is suitable for a single pocket. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.

CHROMED CLIP

SIZE

12.318

Ø16x27mm

x10




DOUBLE CHROMED POCKET CLIP

CLIP DETAIL

SIZE

*mm

INFORMATION



This chromed pocket fixing Clip is suitable for 2 pockets. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.

DOUBLE CH.

SIZE

12.319

Ø16x39mm

x10



DELTA SYSTEM



* Acrylic Pockets at this page are available but not included

WIRE CABLE Ø 1mm

CABLE DETAIL

INFORMATION



Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

Ø1 CABLE	LENGTH	Ø WIRE		
12.121	25m	1mm		

WIRE CABLE Ø 1.5mm

CABLE DETAIL

INFORMATION




Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1.5mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

Ø1.5 CABLE	LENGTH	Ø WIRE		
12.315	25m	1.5mm		

WIRE CABLE Ø 3mm

CABLE DETAIL

INFORMATION



Roll of wire cable suitable for Cablekit systems. With a diameter of Ø3mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.


Ø3 CABLE	LENGTH	Ø WIRE		
12.311	25m	3mm		

ACRYLIC POCKET



acrylic

*mm



This transparent 2mm acrylic Pocket folder features 2 formats with 2 orientations.

POCKET	STANDARD FORMATS				
12.125	A4 Horizontal	x10			
12.351	A3 Horizontal	x10			
12.126	A4 Vertical	x10			
12.352	A3 Vertical	x10			

DELTA SYSTEM



GAMMA TOP/WALL FIXING

FIXING DETAIL

SIZE

*mm



INFORMATION

This movable and stylish Top Support is suitable for ceiling or wall. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. It is ideal for storefronts, travel agencies or banks.

WALL FIXING	BASE SIZE		
12.312	Ø45x35mm	x4 	

GAMMA WALL/BOTTOM FIXING

FIXING DETAIL

SIZE

*mm



INFORMATION

This movable and stylish bottom support is suitable for wall or floor placement. It includes adjust for tension Convenient for cable wire up to Ø1.5 - Ø3mm. With silver finish. Ideal for real states, for storefronts, travel agencies or banks, creating advertisement mosaics.

BOTTOM FIXING	BASE SIZE		
12.313	Ø45x35mm	x4 	


GAMMA SINGLE POCKET CLIP

CLIP DETAIL



INFORMATION

This silver Vertical fixing Clip is suitable for holding a single panel. Convenient for cable wire with a diameter of Ø1.5mm or Ø3mm.




CHROMED CLIP	SIZE		
12.314	Ø16x27mm	x10 	

GAMMA SYSTEM



* Acrylic Pockets at this page are available but not included

GAMMA SYSTEM



WIRE CABLE Ø 1.5mm

CABLE DETAIL

INFORMATION



Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1.5mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

Ø1.5 CABLE	LENGTH	Ø WIRE
12.315	25m	1.5mm

WIRE CABLE Ø 3mm

CABLE DETAIL

INFORMATION







Roll of wire cable suitable for Cablekit systems. With a diameter of Ø3mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

Ø3 CABLE	LENGTH	Ø WIRE
12.311	25m	3mm

ACRYLIC POCKET



*mm				
215	320	440	232	319
A4 12.125	A3 12.351	A4 12.126	A3 12.352	
This transparent 2mm acrylic Pocket folder features 2 formats with 2 orientations.				
POCKET	STANDARD FORMATS			
12.125	A4 Horizontal	x10		
12.351	A3 Horizontal	x10		
12.126	A4 Vertical	x10		
12.352	A3 Vertical	x10		


* Magnetic Light Boxes at this page are available but not included


EPSILON TOP/WALL FIXING

FIXING DETAIL

INFORMATION

*mm





This movable and stylish Support is suitable for ceiling or wall. Convenient for cable wire up to Ø1.5 - Ø3mm. With chrome finish. Ideal for real states, for storefronts, travel agencies or banks.

BOTTOM FIXING	SIZE		
12.320	Ø45x40mm	x4 	

EPSILON WALL/BOTTOM FIXING

FIXING DETAIL

INFORMATION

*mm





This movable and stylish Support is suitable for bottom/floor or wall. It includes adjust for tension. Convenient for cable wire up to Ø1.5 - Ø3mm. With chrome finish. Ideal for real states, travel agencies or banks.


WALL FIXING	BASE SIZE		
12.321	Ø45x33mm	x4 	


CHROMED POCKET CLIP

CLIP DETAIL

*mm

INFORMATION





This chromed pocket fixing Clip is suitable for a single pocket. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.


CHROMED CLIP	SIZE		
12.318	Ø16x27mm	x10 	


DOUBLE CHROMED POCKET CLIP

CLIP DETAIL

*mm

INFORMATION





This chromed pocket fixing Clip is suitable for 2 pockets. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.

DOUBLE CH.	SIZE		
12.319	Ø16x39mm	x10 	

EPSILON SYSTEM



* Acrylic Pockets at this page are available but not included

WIRE CABLE Ø 1mm

CABLE DETAIL

INFORMATION



Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

Ø1 CABLE	LENGTH	Ø WIRE		
12.121	25m	1mm		

WIRE CABLE Ø 1.5mm

CABLE DETAIL

INFORMATION



Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1.5mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

Ø1.5 CABLE	LENGTH	Ø WIRE		
12.315	25m	1.5mm		

WIRE CABLE Ø 3mm

CABLE DETAIL

INFORMATION




Roll of wire cable suitable for Cablekit systems. With a diameter of Ø3mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

Ø3 CABLE	LENGTH	Ø WIRE		
12.311	25m	3mm		






ACRYLIC POCKET



*mm



This transparent 2mm acrylic Pocket folder features 2 formats with 2 orientations.

POCKET	STANDARD FORMATS				
12.125	A4 Horizontal	x10			
12.351	A3 Horizontal	x10			
12.126	A4 Vertical	x10			
12.352	A3 Vertical	x10			


EPSILON SYSTEM




FREE STANDING




*mm



*mm



*mm



The Free Standing is a cable support system for aluminum frame with feet and levelers. Featuring 3 different models. Every kit of Free Standing includes: 1 aluminium Framework, Top connectors, Bottom connectors, Single pocket clips, Double pocket clips and Ø1.5mm cable. Acrylic pockets not included.


FREE STANDING	OUTER SIZE	
12.354	900x2120x392mm	
12.355	1200x2120x392mm	
12.356	1500x2120x392mm	



* Acrylic Pockets at this page are available but not included



*mm



These transparent Pocket folders are made of 2mm acrylic thickness and 2 sizes are available (A3 and A4). It features an easy and simple graphic change. Also, portrait and landscape orientation of both sizes are available. These holder pockets can be used in a wide range of ways so users can create their own display based on their needs.

POCKET	STANDARD FORMATS				
12.125	A4 Horizontal	x10 			
12.351	A3 Horizontal	x10 			
12.126	A4 Vertical	x10 			
12.352	A3 Vertical	x10 			


ACRYLIC POCKET



* The Cable kit system at this page are available but not included with the acrylic pockets.



*mm



LIGHTBOX SIZE	E (EXTERNAL)	C (CABLE DISTANCE)	BRIGHTNESS	VOLTAGE	POWER
A4	276x363mm	240x327mm	≥ 1500LUX	12V	4.8W
A3	363x486mm	327x450mm	≥ 1500LUX	12V	9.6W

Light Boxes use 12V safe power and ultra bright LED lights and they are suitable for being used with any of the CableKit systems. Light Boxes feature a magnetic sealed design which makes it easy and fast to change the graphics. Compatible up to Ø1.5mm cable, these holder boxes can be used in a wide range of ways so users can create their own light display based on their needs. **Not suitable for use with aluminium track** (ref. 12.127 and 12.128). It features 2 formats (A4 and A3) with double sided format. The Kit Power Supply and its Power Connector are supplied separately. Ideal for being used on showcases, art expositions, storefronts, restaurants, hotels, banks, travel agencies, etc...

DOUBLE A4	QTY	N.W	G.W	C.B.M	SIZE
Packing	2	2.1kg	2.5kg	0.121	410x330x90mm
		Graphic size		External size	
12.550	2 Sided A4	363x276x8mm		x2	

DOUBLE A3	QTY	N.W	G.W	C.B.M	SIZE
Packing	2	3.5kg	4kg	0.02	550x410x90mm
		Graphic size		External size	
12.551	2 Sided A3	486x363x8mm		x2	

LIGHT BOX



KIT POWER SUPPLY FOR LIGHT BOX

POWER SUPPLY DETAILS

KIT INCLUDES



INFORMATION

Supply Kit has 12V safe power and contains 1 Power Cord and 1 Connector cable.


POWER SUPPLY	POWER	CABLE LENGTH		
12.552	12V 2A	2.5+1.5m		

POWER CONNECTOR FOR LIGHT BOX

CONNECTORS DETAILS

SIZE

*mm




INFORMATION

These Power Connectors join the LED Lightboxes with the tension wire cable.

CONNECTOR	SIZE			
12.553	Ø12x12mm	x4		

FOR ANY CABLEKIT SYSTEM AVAILABLE

CABLE KIT DETAILS



INFORMATION

Light Boxes are suitable for being used with any of our CableKit systems.

WIRE CABLE

CABLE DETAILS

INFORMATION



Roll of wire cable suitable for Cablekit systems, with a length of 25m. 2 diameters available: Ø1mm and Ø1.5mm.

WIRE CABLE	LENGTH	Ø WIRE		
12.121	25m	1mm		
12.315	25m	1.5mm		

LIGHT BOX

